

**EXERCISE 7.1**

PAGE NO: 114

1. Which of the following numbers are not perfect cubes?

(i) 216

**Solution:**

By resolving 216 into a prime factor,

2	216
2	108
2	54
3	27
3	9
3	3
	1

$$216 = 2 \times 2 \times 2 \times 3 \times 3 \times 3$$

By grouping the factors in triplets of equal factors,  $216 = (2 \times 2 \times 2) \times (3 \times 3 \times 3)$

Here, 216 can be grouped into triplets of equal factors,

$$\therefore 216 = (2 \times 3)^3 = 6^3$$

Hence, 216 is the cube of 6.

(ii) 128

**Solution:**

By resolving 128 into a prime factor,



2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

$$128 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$$

By grouping the factors in triplets of equal factors,  $128 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times 2$ .

Here, 128 cannot be grouped into triplets of equal factors, and we are left with one factor: 2.

$\therefore$  128 is not a perfect cube.

(iii) 1000

**Solution:**

By resolving 1000 into prime factor,



2	1000
2	500
2	250
5	125
5	25
5	5
	1

$$1000 = 2 \times 2 \times 2 \times 5 \times 5 \times 5$$

By grouping the factors in triplets of equal factors,  $1000 = (2 \times 2 \times 2) \times (5 \times 5 \times 5)$

Here, 1000 can be grouped into triplets of equal factors.

$$\therefore 1000 = (2 \times 5) = 10$$

Hence, 1000 is the cube of 10.

(iv) 100

**Solution:**

By resolving 100 into a prime factor,

2	100
2	50
5	25
5	5
	1

$$100 = 2 \times 2 \times 5 \times 5$$

Here, 100 cannot be grouped into triplets of equal factors.



∴ 100 is not a perfect cube.

(v) 46656 Solution:

By resolving 46656 into prime factor,

EducationBharat001



2	46656
2	23328
2	11664
2	5832
2	2916
2	1458
3	729
3	243
3	81
3	27
3	9
3	3
	1

EducationBharat001



$46656 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3$  By grouping the factors in triplets of equal factors,  $46656 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (3 \times 3 \times 3) \times (3 \times 3 \times 3)$

Here, 46656 can be grouped into triplets of equal factors,

$$\therefore 46656 = (2 \times 2 \times 3 \times 3) = 36$$

Hence, 46656 is the cube of 36.

2. Find the smallest number by which each of the following numbers must be multiplied to obtain a perfect cube.

(i) 243

**Solution:**

By resolving 243 into a prime factor,

3	243
3	81
3	27
3	9
3	3
	1

$$243 = 3 \times 3 \times 3 \times 3 \times 3$$

By grouping the factors in triplets of equal factors,  $243 = (3 \times 3 \times 3) \times 3 \times 3$

Here, 3 cannot be grouped into triplets of equal factors.

$\therefore$  We will multiply 243 by 3 to get the perfect cube.

(ii) 256

**Solution:**

By resolving 256 into a prime factor,



2	256
2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

$$256 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$$

By grouping the factors in triplets of equal factors,  $256 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times 2 \times 2$

Here, 2 cannot be grouped into triplets of equal factors.

∴ We will multiply 256 by 2 to get the perfect cube.

(iii) 72

**Solution:**

By resolving 72 into a prime factor,



2	72
2	36
2	18
3	9
3	3
	1

$$72 = 2 \times 2 \times 2 \times 3 \times 3$$

By grouping the factors in triplets of equal factors,  $72 = (2 \times 2 \times 2) \times 3 \times 3$

Here, 3 cannot be grouped into triplets of equal factors.

∴ We will multiply 72 by 3 to get the perfect cube.

(iv) 675

**Solution:**

By resolving 675 into a prime factor,

3	675
3	225
3	75
5	25
5	5
	1

$$675 = 3 \times 3 \times 3 \times 5 \times 5$$

EducationBharat001





By grouping the factors in triplets of equal factors,  $675 = (3 \times 3 \times 3) \times 5 \times 5$

Here, 5 cannot be grouped into triplets of equal factors.

∴ We will multiply 675 by 5 to get the perfect cube.

(v) 100

**Solution:**

By resolving 100 into a prime factor,

2	100
2	50
5	25
5	5
	1

$$100 = 2 \times 2 \times 5 \times 5$$

Here, 2 and 5 cannot be grouped into triplets of equal factors.

∴ We will multiply 100 by  $(2 \times 5)$  10 to get the perfect cube.

3. Find the smallest number by which each of the following numbers must be divided to obtain a perfect cube. (i)

81

**Solution:**

By resolving 81 into a prime factor,

3	81
3	27
3	9
3	3
	1

$$81 = 3 \times 3 \times 3 \times 3$$



By grouping the factors in triplets of equal factors,  $81 = (3 \times 3 \times 3) \times 3$

Here, 3 cannot be grouped into triplets of equal factors.

∴ We will divide 81 by 3 to get the perfect cube.

(ii) 128

**Solution:**

By resolving 128 into a prime factor,

2	128
2	64
2	32
2	16
2	8
2	4
2	2
	1

$$128 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$$

By grouping the factors in triplets of equal factors,  $128 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times 2$

Here, 2 cannot be grouped into triplets of equal factors.

∴ We will divide 128 by 2 to get the perfect cube.

(iii) 135

**Solution:**

By resolving 135 into prime factor,



3	135
3	45
3	15
5	5
	1

$$135 = 3 \times 3 \times 3 \times 5$$

By grouping the factors in triplets of equal factors,  $135 = (3 \times 3 \times 3) \times 5$

Here, 5 cannot be grouped into triplets of equal factors.

∴ We will divide 135 by 5 to get the perfect cube.

(iv) 192

**Solution:**

By resolving 192 into a prime factor



2	192
2	96
2	48
2	24
2	12
2	6
3	3
	1

$$192 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3$$

By grouping the factors in triplets of equal factors,  $192 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times 3$ .

Here, 3 cannot be grouped into triplets of equal factors.

∴ We will divide 192 by 3 to get the perfect cube.

(v) 704

**Solution:**

By resolving 704 into a prime factor,



2	704
2	352
2	176
2	88
2	44
2	22
11	11
	1

$$704 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 11$$

By grouping the factors in triplets of equal factors,  $704 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times 11$

Here, 11 cannot be grouped into triplets of equal factors.

∴ We will divide 704 by 11 to get the perfect cube.

**4. Parikshit makes a cuboid of plasticine with sides 5 cm, 2 cm, and 5 cm. How many such cuboids will he need to form a cube?**

**Solution:**

Given the sides of the cube are 5 cm, 2 cm and 5 cm.

∴ Volume of cube =  $5 \times 2 \times 5 = 50$



2	50
5	25
5	5
	1

$$50 = 2 \times 5 \times 5$$

Here, 2, 5 and 5 cannot be grouped into triplets of equal factors.

∴ We will multiply 50 by  $(2 \times 2 \times 5)$  20 to get the perfect cube. Hence, 20 cuboids are needed.

## EXERCISE 7.2

PAGE NO: 116

1. Find the cube root of each of the following numbers by the prime factorisation method. (i)

64

Solution:



$$64 = 2 \times 2 \times 2 \times 2 \times 2 \times 2$$

By grouping the factors in triplets of equal factors,  $64 = (2 \times 2 \times 2) \times (2 \times 2 \times 2)$

Here, 64 can be grouped into triplets of equal factors.

$$\therefore 64 = 2 \times 2 = 4$$

Hence, 4 is the cube root of 64.

**(ii) 512**

**Solution:**

$$512 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2$$

By grouping the factors in triplets of equal factors,  $512 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (2 \times 2 \times 2)$

Here, 512 can be grouped into triplets of equal factors.

$$\therefore 512 = 2 \times 2 \times 2 = 8$$

Hence, 8 is the cube root of 512.

**(iii) 10648**

**Solution:**

$$10648 = 2 \times 2 \times 2 \times 11 \times 11 \times 11$$

By grouping the factors in triplets of equal factors,  $10648 = (2 \times 2 \times 2) \times (11 \times 11 \times 11)$

Here, 10648 can be grouped into triplets of equal factors.

$$\therefore 10648 = 2 \times 11 = 22$$

Hence, 22 is the cube root of 10648.

**(iv) 27000**

**Solution:**

$$27000 = 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 5 \times 5 \times 5$$

By grouping the factors in triplets of equal factors,  $27000 = (2 \times 2 \times 2) \times (3 \times 3 \times 3) \times (5 \times 5 \times 5)$

Here, 27000 can be grouped into triplets of equal factors.

$$\therefore 27000 = (2 \times 3 \times 5) = 30$$

Hence, 30 is the cube root of 27000.



(v) 15625 Solution:

$$15625 = 5 \times 5 \times 5 \times 5 \times 5 \times 5$$

By grouping the factors in triplets of equal factors,  $15625 = (5 \times 5 \times 5) \times (5 \times 5 \times 5)$

Here, 15625 can be grouped into triplets of equal factors.

$$\therefore 15625 = (5 \times 5) = 25$$

Hence, 25 is the cube root of 15625.

(vi) 13824

Solution:

$$13824 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3$$

By grouping the factors in triplets of equal factors,

$$13824 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (3 \times 3 \times 3)$$

Here, 13824 can be grouped into triplets of equal factors.

$$\therefore 13824 = (2 \times 2 \times 2 \times 3) = 24$$

Hence, 24 is the cube root of 13824.

(vii) 110592

Solution:

$$110592 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3$$

By grouping the factors in triplets of equal factors,

$$110592 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (3 \times 3 \times 3)$$

Here, 110592 can be grouped into triplets of equal factors.

$$\therefore 110592 = (2 \times 2 \times 2 \times 2 \times 3) = 48$$

Hence, 48 is the cube root of 110592.

(viii) 46656

Solution:

$$46656 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3$$

By grouping the factors in triplets of equal factors,





$$46656 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (3 \times 3 \times 3) \times (3 \times 3 \times 3)$$

Here, 46656 can be grouped into triplets of equal factors.

$$\therefore 46656 = (2 \times 2 \times 3 \times 3) = 36$$

Hence, 36 is the cube root of 46656.

**(ix) 175616**

**Solution:**

$$175616 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 7 \times 7 \times 7$$

By grouping the factors in triplets of equal factors,

$$175616 = (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (2 \times 2 \times 2) \times (7 \times 7 \times 7)$$

Here, 175616 can be grouped into triplets of equal factors.

$$\therefore 175616 = (2 \times 2 \times 2 \times 7) = 56$$

Hence, 56 is the cube root of 175616.

**(x) 91125 Solution:**

$$91125 = 3 \times 3 \times 3 \times 3 \times 3 \times 3 \times 3 \times 5 \times 5 \times 5$$

By grouping the factors in triplets of equal factors,  $91125 = (3 \times 3 \times 3) \times (3 \times 3 \times 3) \times (5 \times 5 \times 5)$

Here, 91125 can be grouped into triplets of equal factors.

$$\therefore 91125 = (3 \times 3 \times 5) = 45$$

Hence, 45 is the cube root of 91125.

**2. State true or false.**

**(i) Cube of any odd number is even.**

**Solution:**

False

**(ii) A perfect cube does not end with two zeros.**

**Solution:**

True

**(iii) If the cube of a number ends with 5, then its cube ends with 25.**



**Solution:**

False

(iv) There is no perfect cube which ends with 8.

**Solution:**

False

(v) The cube of a two-digit number may be a three-digit number.

**Solution:**

False

(vi) The cube of a two-digit number may have seven or more digits.

**Solution:** False

(vii) The cube of a single-digit number may be a single-digit number.

**Solution:**

True

**3. You are told that 1,331 is a perfect cube. Can you guess without factorisation what its cube root is? Similarly, guess the cube roots of 4913, 12167, and 32768.**

**Solution:**

(i) By grouping the digits, we get 1 and 331.

We know that since the unit digit of the cube is 1, the unit digit of the cube root is 1.

∴ We get 1 as the unit digit of the cube root of 1331.

The cube of 1 matches the number of the second group.

∴ The ten's digit of our cube root is taken as the unit place of the smallest number.

We know that the unit's digit of the cube of a number having digit as unit's place 1 is 1.

$$\therefore \sqrt[3]{1331} = 11$$

(ii) By grouping the digits, we get 4 and 913

We know that since the unit digit of the cube is 3, the unit digit of the cube root is 7. ∴ we

get 7 as the unit digit of the cube root of 4913. We know  $1^3 = 1$  and  $2^3 = 8$ ,  $1 > 4 > 8$

Thus, 1 is taken as the tens digit of the cube root.



$$\therefore \sqrt[3]{4913} = 17$$

(iii) By grouping the digits, we get 12 and 167.

We know that since the unit digit of the cube is 7, the unit digit of the cube root is 3.  $\therefore$

3 is the unit digit of the cube root of 12167. We know  $2^3 = 8$  and  $3^3 = 27$ ,  $8 > 12 > 27$

Thus, 2 is taken as the tens digit of the cube root.

$$\therefore \sqrt[3]{12167} = 23$$

(iv) By grouping the digits, we get 32 and 768.

We know that since the unit digit of the cube is 8, the unit digit of the cube root is 2.  $\therefore$  2

is the unit digit of the cube root of 32768. We know  $3^3 = 27$  and  $4^3 = 64$ ,  $27 > 32 > 64$

Thus, 3 is taken as the tens digit of the cube root.

$$\therefore \sqrt[3]{32768} = 32$$

EducationBharat001